

D1250 UV PRINTER

Customized Digital Printing on different size media

DIGITOP
YDM

NON-STOP UV Printer

- RICOH GEN5&GEN6 INDUSTRIAL GRADE HEADS
- FACTORY&LOCAL PROFESSIONAL SERVICE



Ricoh GEN5 & GEN6
Print Heads



AI Visual Position Camera
Auto Scan&Print




THK Guide Rails
Made In Japan



Panasonic Motor&Driver
Made In Japan




Maglev Liner Motor
Faster Printing



Non-stop Moving Belt
Efficient Printing



Intelligent Ink Alarm
Separated Alarm



White Ink
Circulation System

Our factory was established in 2005's,specilized in UV faltbed printers and printing solutions for different requirements from various industries,The rich experience in uv printers help us to get recognition from customers from all the world.
In 2022,we provided the AI printing system in market, which helps customers who print small with different shapes media to print fastly and easily, till now, more than 10k customers who use this system in printing business. Join us,we will create more digital solutions together.



Professional Factory -- Expore More Printing Solution in Various Industries

ITEMS		SPECIFICATIONS	
Model	D1250 Non-Stop UV PRINTER		
Printhead	Industry Grade Ricoh GEN5/GEN6 head		
Print Head Number	Max 8 heads		
Color Set	CMYK; CMYK+W; CMYK+CMYK;CMYK+W+V		
Print Width	Max 1.25m		
Print Speed (sqm/h) G5 heads	4PASS 15 sqm/h	Print Speed (sqm/h) G6 heads,Maglev	4PASS 25 sqm/h
	6PASS 12 sqm/h		6PASS 20 sqm/h
	8PASS 8 sqm/h		8PASS 15 sqm/h
Print Direction	Unidirection/Bidirection		
Media Type	Glass,Acrylic, Wood, Ceramic, Metal Sheet, PVC Sheet, Plastic,3C product etc.		
Media Thickness	Max. 100 mm		
InkType	UV Curing Ink (None VOC)		
Special Ink	Optional White Ink or Varnish		
Curing System	LED Curing System		
File Format	TIFF/ JPEG/ POSTSCRIPT3/ PDF		
RIP Software	Riprint/Unitedfancy/Photoprint		
Data Connector	USB3.0		
Power	220VAC(±10%) Single Phase, 50/60 HZ		
Power Consumption	3.5 KW		
Machine Size/N.W	3.35m x 2.2 m x 1.35 m,800kgs		
Packing Size/G.W	3.5 m x2.3 m x 1.6m, 950kgs		
Environment Requirement	Seperated, clean, low dust, well-ventilated environment Woring Temperature:20°C-28°C Relative humidity:40%-60%		

★ Customized configuration available based on different customers' requirments

Factory: Linyi Yicai Digital Machinery Co., Ltd.
Shandong Digitop Technology Co., Ltd.

Contact: Sophia Ju
(General Manager)

Address:#2 building,Dingsheng Industrial Park,Linyi city, Shandong,China
Email:info@uvprinterbest.com Whatsapp/Wechat:+86 18805392014

